

MyvScan Brukermanual v1.0 (10.03.2015)

Utdrag av vScan brukermanual

4.1 MyvScan

MyvScan is a powerful software package which supports features available in the vScan receiver product range including vScan and vScanM.

MyvScan can be downloaded from the website: www.vivax-metrotech.com

MyvScan enables the user to:

- Configure the locator
- Select locator features
- Select defaults
- Manage warning, test & calibration and service schedules

Data Management

- Select and manage data and data files
- Produce reports
- Print calibration certificate
- View, save and export reports

About

- Register Product
- Update Locator and desktop application software
- Set location of data files on computer. (Default settings are set by the program)
- Contact us
- Help

4.12.1 Using MyvScan

If not already done, download and install MyvScan from the Vivax-Metrotech.com web site.

Launch MyvScan by double clicking on the MyvScan icon.



To start using MyvScan, you must make a connection to a locator. Open the battery compartment door to reveal the mini USB socket. Connect a suitable lead with a standard USB connector on the other end. Connect to a standard USB port on your computer.

Foretaksnavn: **Megger AS**

Telefon: +47 22 28 00 40

Adresse: Bjørnstadmyra 7, 1712 Grålum, Norway

Web: www.megger.no

Org.nr. NO 931 924 583 MVA

E-post: post@megger.no

Seba KMT GmbH, WEE-Reg.-Nr. DE 24650880

sebanor® Kompetanse og
teknologi leverandør


Din leverandør av måleutstyr og tjenester!

RENAS  **REN**
RASJONELL ELEKTRISK
NETTVIRKSOMHET



With the locator switched off the bottom left of the home screen will show the above.

Switch on the locator and the text will turn Green and display "Unit Connected" as below. Note that the software revision of MyvScan (not to be confused with the locator software) will also be displayed together with the vScan lock status. To unlock or lock the vScan requires the use of the Lockout Dongle.



4.12.2 Navigating around MyvScan

When MyvScan is first launched you will see the home page as below:

Foretaksnavn: **Megger AS**

Adresse: Bjørnstadmyra 7, 1712 Grålum, Norway

Org.nr. NO 931 924 583 MVA

Seba KMT GmbH, WEE-Reg.-Nr. DE 24650880


sebanor® Kompetanse og
teknologi leverandør

Din leverandør av måleutstyr og tjenester!

Telefon: +47 22 28 00 40

Web: www.megger.no

E-post: post@megger.no



The screen is split into two main areas:

- To the left you have the three main options:
 - Configure Locator
 - Data Management
 - Options (Note that a red dot will appear on the Options bar if a software update is available)
- To the right is a first time use page that helps describe the features available. Checking the "Do not show this again" box will prevent it from displaying on future switch-on's.

Clicking one of these will also reveal a sub menu relating to these topics.

To the right the black area is your work area relating to the selection you have made on the left.

The right hand side also has some navigation aids:

Foretaksnavn: **Megger AS**

Telefon: +47 22 28 00 40

Adresse: Bjørnstadmyra 7, 1712 Grålum, Norway

Web: www.megger.no

Org.nr. NO 931 924 583 MVA

E-post: post@megger.no

Seba KMT GmbH, WEE-Reg.-Nr. DE 24650880

sebanor[®] Kompetanse og
teknologi leverandør

Din leverandør av måleutstyr og tjenester!

RENAS  **REN**
RASJONELL ELEKTRISK
NETTVIRKSOMHET



The arrows to the left and right allow you to navigate to the next or previous screen.

The numbers and ticks along the bottom indicate how many pages are associated with the area and how many have been visited.

Follow the on-screen instructions and make selections as necessary.

MyvScan is under continual development, therefore screens and instructions may change from time to time.

Foretaksnavn: **Megger AS**

Telefon: +47 22 28 00 40

Adresse: Bjørnstadmyra 7, 1712 Grålum, Norway

Web: www.megger.no

Org.nr. NO 931 924 583 MVA

E-post: post@megger.no

Seba KMT GmbH, WEE-Reg.-Nr. DE 24650880

sebanor® Kompetanse og
teknologi leverandør

Din leverandør av måleutstyr og tjenester!